

InTELCOM™ Services Ltd Introduction to 4.3-10 Connectors

Cable & Connector Solutions

InTELCOM Products & Services



- Antennas
- Broadcasting
- RF Products
- Data Solutions
- Milspec and Rugged Solutions
- Getac Rugged Computers
- Fibre Products
- Low Frequency and DC Cable
- Wireless Linking
- RF Transmission Infrastructure
- Security Devices
- Test & Measurement
- Transport Products









4.3-10 Connector Types



- Conforms to IEC 61169-54
- Separate Electrical and Mechanical Contacts allows coupling options
- Radial Contact
- Compact Size (25.4mm Flange)
- 40% lower weight than 7/16 connectors
- Excellent PIM & RL regardless of Torque
- Lower TCO
- Frequency up to 12GHz
- IM -160dBc (0.4 to 4GHz; 2 x 40W)
- Universal Bulkhead Jack/Plug
- Three types of Cable Connector Hand Screw; Screw; Quick Lock



Universal Jack









Screw



Quick Lock



4.3-10 Quick-Fit Connectors



- Supplied in one piece
- Easy to fit
- Connectors for ½" Corrugated Cable
 - Straight Male (Hand Screw; Screw; Quick Lock)
 - Straight Female (Torque only)
- Connectors for ½" Highflex Corrugated Cables
 - Straight Male (Torque only)
 - Right Angle Male (Hand Screw; Screw; Quick Lock)

 Compatibility with most cable brands in the market, e.g. LDF4-50A, RFA ½", etc









Supplementary 4.3-10 Connectors



- YJE Manufacture in South Korea
- Established in 1993
- Corrugated Cables supported
 - ½" and ½" Highflex,
 - 7/8", 1 ½" & 1 5/8"
- For ½" Standard and Highflex
 - 4.3-10 Male Straight
 - 4.3-10 Female Straight
 - 4.3-10 Male Right angle
- Compatibility with
 - LDF, FSJ~, RFS LCF, SCF~, ACOME HPL~, NK RFF~, Leoni FlexLine~, LSC HFC~, HFSC~, HFAC~, TAIHAN HFX~ and most existing field-proven cables





Cable Assemblies



InTELCOM Services has trained staff and a Huber+Suhner Cable Assembly Facility at our premises in Lower Hutt.

We can manufacture Custom Cable Assemblies to your specification.

- Coax Jumper Cables made to order
- Customised Options
- Corrugated or Smooth Jacket Cables
- Small/Large Volumes
- Repairs







Low PIM - Cable Assemblies





Cable assemblies for cell-site applications are manufactured to your specified length and connector types using all solder-on connectors to ensure high PIM figures.

Cable Types: 1/4" SF, 1/2"HF or 1/2" corrugated copper


Lengths: to your specification


Connector Types: 4.3-10, 716 or N, straight or right angle

Typical PIM: < -150 dBc Return Loss: > 20dB

Frequency: DC to 3 GHz RoHS: Compliant

Heatshrink: WCSM 16/4 Heavy walled, glued over ferrule/cable junction







About InTELCOM Services

- New Zealand Private Company
- Trading under InTELCOM Services since 1987.
- Manufacturer's Representative (Reseller).
- Manufacturer of Cable Assemblies.
- Office/warehouse/workshop of 1000 m² located in Lower Hutt.
- Customers include:
 - Telcos
 - Broadcasters
 - Government
 - Defence
 - Radio Equipment Manufacturers
 - Warehouses







InTELCOM Services Ltd

Is There Anything Else We Can Help You With?

InTELCOM House 2 Herbert Street P O Box 38 091 Lower Hutt 5045 New Zealand